

Experience of Public Health Midwives as Nutrition Counselors for Mothers/ Care givers on behalf of Children aged 6-36 Months in Eastern Province of Sri Lanka.

S Sujendran¹, U Senarath², J Joseph³

^{1,3}Department of Supplementary Health Sciences, Faculty of Health-Care Sciences, Eastern University, Sri Lanka, ²Department of Community Medicine, Faculty of Medicine, University of Colombo, Sri Lanka
¹sankarapillaisujendran@gmail.com, ²upul.senarath@yahoo.com, ³josepha_joseph@yahoo.com

Abstract- *Knowing the clients is the central aspect of health care practice. This study aimed to explore the essences of the lived experience of Public Health Midwives (PHMs) as primary care givers to the children and nutrition counselors to mothers/ Care givers. The methodology of the study was interpretive phenomenology informed by Heidegger. There were three Focus Group Discussions (FGD) involving six PHMs in each FGD. Altogether, eighteen PHMs participated in the in-depth experiential conversations using an FGD guide. The discussions were video and audio recorded and transcribed. Thematic analysis and interpretation were carried out according to van Manen (1990). Four major themes have emerged through the interpretation process. The themes are, (1) habit of fast food, (2) busy life of mothers/care givers and (3) lack of knowledge among mothers/care givers (4) lack of health care personnel. A sub theme critical financial situation was also emerged under the theme busy life of mothers/care givers and another sub theme interference of mother-in-laws in child nutrition was emerged from within the major theme, lack of knowledge among mothers/care givers. The study is quite specific to eastern province of Sri Lanka, where the nutritional status of the children aged 6-36 months is lower than the average level during the study period. The findings of the study will be helpful to the health care personnel in the eastern province; in planning and providing the best care to the children aged 6-36 months and nutrition counseling in the future.*

Keywords: lived experience, nutritional awareness, interpretive phenomenology, hermeneutic circle, thematic analysis

I. INTRODUCTION

II.

People living in eastern province of Sri Lanka have been coming out from their war torn life style now. The civil war which extended for more than 3 decades has been negatively affected the status of these people in all aspects. Undernutrition among preschooler children is higher in the eastern province. And, according to the National Democratic and Health Survey (2009) the prevalence of wasting in the eastern province was 20.0%, which is higher than the average wasting in other parts of the country (14.8).

In spite of Infant and Young Child feeding counseling and other measures are carried out by Public Health Midwives (PHMs), many children cannot access them because of their poverty or pecuniary embarrassment, poor knowledge and many other reasons. The purpose of this study was to explore the feelings and experiences of PHMs as nutrition counselors for mothers/care givers. The essence of their lived experience can be a useful tool for planning future job descriptions for PHMs in Sri Lanka.

A. Research Question:

What does it mean for Public Health Midwives to be nutrition counselors for mothers/ care givers of the children aged 6-36 months?

II. REVIEW OF LITERATURE

The goal of phenomenological research is not to describe a grand theory or develop a model but to describe accurately a person's 'lived' experience in relation to what is being studied (Balls, 2009). Phenomenology supports the re-examination of a taken-for-granted experience and, through examining the qualities of the experience, allows

us to identify its essence. Although there is considerable literature about the nutritional management of the preschool children, there is a paucity of literature regarding the lived experience of the health care personnel in nutritional counseling. King and Thomas (2013) investigated the lived experiences of fourteen critical care nurses about the caring of dying participants. An encompassing theme of Promises to keep emerged, with five subthemes. The essence of intensive care nurses' lived experience of caring for dying participants is captured in the theme.

The United States Agency for International Development's Infant & Young Child Nutrition Project and PATH's prevention of mother-to-child transmission of HIV team conducted an infant feeding assessment in Eastern and Western Provinces, Kenya, in 2007–08. It was a qualitative and participatory in-depth approach focusing on feeding practices of HIV-positive mothers of children younger than 2 years. The team found that feeding practices for infants and young children in eastern and western provinces of Kenya were strongly influenced by cultural beliefs related to breast feeding and complementary feeding (Thuita, 2011).

III. METHODOLOGY

There are several qualitative research approaches such as phenomenology, grounded theory, ethnography, historical research, action research and feminist research (FitzGerald, 2001). This study followed Heidegger's principles of phenomenology and van Manen's (1990) six methodological activities of the hermeneutic phenomenological approach.

Phenomenology has been and continues to be an integral field of inquiry that cuts across philosophic, sociologic and psychological disciplines (Streubert and Carpenter, 1999).

van Manen (1990) suggested six activities as a methodological structure of human science research. The activities mentioned below, were followed in the investigation of the lived experience of participants in nutrition counseling to mothers/care givers, using the hermeneutic phenomenological approach.

- 1) Turning to a phenomenon which seriously interests us and commits us to the world;
- 2) Investigating experience as we live it rather than as we conceptualize it;
- 3) Reflecting on the essential themes which characterize the phenomenon;
- 4) Describing the phenomenon through the art of writing and rewriting;
- 5) Maintaining a strong and oriented pedagogical relation to the phenomenon;
- 6) Balancing the research context by considering parts and whole (van Manen, 1990, pp 30-31).

Each activity was explained clearly. The nature of the study settings, the researcher and the ethical considerations of the study was outlined. The process of analysis and interpretation was described. The hermeneutic circle, as a major tool of interpretation in this study, was explained

Design and Sample

This was an interpretive study which was conducted among Public health Midwives (PHMs), in Batticaloa and Kalmunai health districts in the eastern province of Sri Lanka, during August-December, 2013. Among these PHMs, eighteen were recruited as participants. They shared their experience in three focus group discussions. There were six participants in each focus group. We maintained a close friendship with these PHMs and other personnel in order to understand them deeply.

Permission was obtained from the both regional health directors (RDHS) to invite the PHMs who provide nutrition counseling of children aged 6-36 months. An information sheet that outlines the details of my study was circulated to all potential PHMs inviting them to participate in the study. The researcher visited each MOH office and identified appropriate participants with the help of the Public health nursing sisters in charge of the PHMs. The researcher individually approached participants and invited them to participate in the study. Specifically PHMs dealing with preschooler nutrition were included.

The data were group interviews in which PHMs gave narrative accounts of exemplars from their practice. Participants included must have had experience of nutrition counseling for at least two years. Participants were excluded from the study if they were unable to provide informed consent.

Participants were also excluded if they were busy engaged with other tasks.

Due largely to the time and resource constraints it was expected that approximately 18 participants would be interviewed. Although the sample size is not a crucial issue for a phenomenological study the researcher believes that this sample provides a reasonable breadth of experiences for the participant group. Twelve participants from Batticaloa and six participants from Kalmunai were selected irrespective of their ages.

Ethical considerations

The researcher obtained permission from the Ethics Review Committee, Faculty of Health-Care Sciences, Eastern University, Sri Lanka and the both Batticaloa and Kalmunai RDHSs. The participants were also informed that they had the right to withdraw at any stage of the study without penalty.

All data collected, such as DVDs and written transcripts are being kept safe and secure in a locked file and will not to be provided to any unauthorized person. Each interview was conducted using unstructured questions. The DVDs and transcripts are protected in an iron safe and were maintained there for at least five years. There was no possibility of physical risk in this study. Measures were taken to safeguard confidentiality, anonymity and the psychological wellbeing of participants.

Analysis and interpretation

Interpretive phenomenology is the most appropriate method for this study as a study of human experience. The philosophical underpinnings of interpretive phenomenology have guided the study of exploring the feelings and experience of participants who provide nutrition counseling. In this study, participants' stories were recorded and analyzed using the hermeneutic circle, of dialogue with the text and writing of the interpretation.

The hermeneutic circle represents the art of understanding (Annells, 1995). Gadamer (1987, cited in Annells, 1995) lists the notions of hermeneutic circle as understanding, prejudice, linguisticity of understanding, historicity, the fusion of horizons and lived experience, which are significant in data analysis. The individual DVDs

were transcribed carefully by listening and re-listening. The transcripts were re-read several times to become familiar with the text. We allowed participants to read their transcripts and provide their opinions on the transcripts.

Through frequent reading of individual transcripts we highlighted many impressive words and phrases. We deeply immersed ourselves in the stories of each individual so that we could really hear their voices and pick up points of real experience.

We then formed themes from collectively viewing all words and phrases emerging from the individual stories. In literature 'themes' refer to elements, which occur frequently in the text (van Manen, 1990).

IV. RESULTS

The participants described their experience and feelings in their own words. The researcher refined the themes with the knowledge from his experience and the available literature.

1) We used the hermeneutic process of re-reading and the hermeneutic circle for identifying the themes of the study. The following major themes have emerged through the interpretation process.

2) The themes were, (1) habit of fast food, (2) busy life of mothers/care givers and (3) lack of knowledge among mothers/care givers (4) lack of health care personnel.

3) A sub theme critical financial situation was also emerged under the theme busy life of mothers/care givers and another sub theme interference of mother-in-laws in child nutrition was emerged within the major theme, lack of knowledge among mothers/care givers.

A. Theme 1 - Habit of fast food

12 participants described about the involvement of fast food in the life style of people in their areas. It can be understood from the participant's own words (See table 1). Although many of the mothers/ care givers do not possess enough knowledge about the harmful effects of fast food, they give preference to their convenience. For example, a participant expressed her experience through her words (See table 1).

B. Theme 2 - Busy life of mothers/care givers

It was extremely difficult to maintain a healthy life style to people living in the region. Mothers/care givers are busy with their daily household and other tasks. There was therefore, almost always the possibility of busy life to the mothers/ care givers of the children aged 6-36 months. The participants expressed this in their words. An example is given in table 1. It was the reply of a participant who was engaged in nutrition counseling to mothers/care givers for last 7 years. A sub theme critical financial situation was also identified during the process of data analysis.

1) Subtheme 2.1 Critical financial situation

Sri Lanka is a developing country where per capita income is very low. Many communities are at a very low economic level. In these communities, per capita income is not enough for day to day living. Many mothers/care givers come from these poor communities. Wealthier mothers/care givers were able to seek advanced nutritional management with expert opinions.

PHM 5FGD2 described the economic status and the current difficulties of the families in her service area. The families had no clear idea about their future plans. This is due to their concern about ongoing life with financial distress. The following statement represented a PHM's view (See table 1).

C. Theme 3 - Lack of knowledge among mothers/care givers

The participants told several stories about knowledge level of mothers/ care givers. Many

mothers get dices on child nutrition from laymen, family members and neighbors. Especially, the mothers/care givers of Kattankudy, a Muslim town in Batticaloa, depend on the experienced family members for nutritional management of the family. The nature of the knowledge level of mothers/ care givers can be understood from the actual words of a participant (See table 1). This response indicates the real picture of the knowledge level of the mothers/care givers. A sub themes interference of mother-in-laws was also identified when we performed the analysis.

Sub Theme 3.1- Interference of mother-in-laws

In both communities Tamil and Muslim, the experiences women in the household supervise the food preparation and serving to the family. The participants faced many problems in achieving adequate nutritional habits among the mothers and care givers due to the interference of mother-in-laws. It is more common in the Muslim society. For example, the following response is given as a sample of the lived experience of PHMs (See table 1).

Theme 4- Lack of health care personnel

PHMs are packed with their daily routine task and have little time to spend with mothers/care givers to discuss about the nutrition of their children. At present a PHM is assigned to a PHM area but many PHM cover up the duties of more than one PHM area. They are frustrated with workload. The view of a PHM is given as a sample (See table 1).

Table 1- Themes and sub themes

Themes and Sub themes		Participant's Statements
Theme 1	Habit of fast food	"Mothers are used to the habit of buying foods..... mm...yes.. especially for breakfast. And they said, the practice is more convenient for them".(PHM 2 FDG 2: 58-61)
Theme 2 - 2) 3) 4) 5) 6) 7) 8) Sub theme	Busy life of mothers/care givers	"Then they have to make the children to go to school, husband to go for work and herself, to go outthey are always busy.....in the mornings, noons....even during the evening times, they are engaged with many other tasks, they said." (PHM 1 FGD 2: 70-74)
	Critical financial situation	"Their economical status is very low. They ran the family with the daily income of fishing in the Batticaloa lagoon. Now days, it is impossible to get a few money. Wife starts to sell her jewelleryes. It won't be enough for the next two weeks. My elder sister, even she doesn't have enough money, she supports my family. The children, two daughters go to school and one son stays at home. They too face difficulties in continuing their education." (PHM5FGD2: 54-69)
Theme 3 Sub theme	Lack of knowledge among mothers/care givers	"It is a male dominated society. The mothers listen whoever we teach. They hear the information via this ear and leave out it through other ear. They strongly follow whatever the husband or husband's mother tells." (PHM 3 FGD3: 76-83)
	Interference of mother-in-laws	"We tried several times but cannot make a change their beliefs on food preparation and serving to children. As they are compelled to obey their husbands, they follow the instructions given by husbands' mothers, and they ignore our advices." (PHM1 FGD 3: 60-67)
Theme 4	Lack of health care personnel	"Mothers are not attending for health education sessions or the attendance is very low. As you know, we are always occupied and..... and we cannot visit individual houses to meet them. We need additional staff at least twice a week to visit homes and give individual nutrition counseling." (PHM 6FGD2: 66-70)

V. DISCUSSION

A. Habit of fast food

Undernutrition remains the main nutritional problem among primary school children of the schools in the Colombo district, while overweight and obesity are emerging at an alarming rate, with boys particularly at risk (Thilakarathne and Wijesinghe, 2011). The participants expressed

their grievances on fast food habit of mothers/care givers .The mothers/care givers need assistance from others to get rid off from the habit. And perform their daily living activities with joy. The personalities of many people do not permit them to change their habits easily (Sinclair and Fawcett, 1991). Ten participants said that the mothers/care givers felt guilty at being depended on fast food to others but they could not change their habits due to their personality, attitude and

life style. This is both a functional and a psychological problem of which needs a level of understanding from participants, families and importantly staff.

Every PHM can encourage her clients to express their views towards the habit of fast food. The PHMs can also encourage family members to spend more time with the care of their young children in the family. They can also talk with the mothers/care givers in order to explore the roots of the habit. And they can suggest healthy alternative solutions and assist them to pick the most suitable solution.

B. Busy life of mothers/care givers

All participants stated that issues related to busy life style were the major concerns for mothers/care givers. Nutrition status of the family members affected much due to alterations in lifestyle (Swaminathan, 1999). They attempt to satisfy the immediate requirements of food using whatever available easier ways. They do not pay much consideration on nutritive values and the potential harmful consequences. Poverty is one of the main reasons forcing them to lead a busy life. If they have enough money, they will be at home having enough time for caring the children. The critical financial situation is common to the people living in the 3rd world countries (Walsh, 1997). But the daily income of war torn Eastern people is often not sufficient for daily living needs. Once the breadwinner falls sick, the financial situation of the family becomes far more critical. The families suffered difficulties in getting money for their day to day living. The issue emerged as a very significant one in this study.

According to Sinclair and Fawcett (1991, p316), '.... there is a loss of prestige, for example, if a breadwinner has to stop work, or when the head of the family must leave to the spouse, decisions over important matters of child care and finance'. In this study, all participants expressed that the breadwinners of the families were males and there were few families were headed by women. They suffered severe financial distress and struggled with stress.

Health care professionals can play a major role in assisting the families with financial hardship (Walsh, 1997). The health staff especially nurses and midwives can counsel the family about

available assistance in critical financial situations. Special arrangements should be made by the government and Non Governmental Organizations (NGO) in order to support these families financially. Health personnel have the great responsibility to counsel these families by suggesting available alternatives to get stability in their financial situation. They can guide families to get aid from government and NGOs.

C. Lack of knowledge among mothers/care givers

Central to the experience of virtually all participants was the lack of knowledge among mothers/care givers. All PHMs maintained good relationships with mothers/care givers in their areas but fourteen of them were not happy about the knowledge level of the mothers/care givers. They worried that they had poor knowledge on young children feeding practices. Although there were many reasons why this may have occurred may be due to either from health personnel or mothers/care givers. Staff shortages and heavy workload were some reasons, according to the PHMs. It is something staff should be aware of.

The community based health care services on nutrition counseling to preschoolers is existing at present in Sri Lanka. The available facilities are limited to a certain level only. The Infant and Young Children Nutrition (IYCN) programme covers the nutritional counseling of children up to 2 years of age. All MOH divisions in Sri Lanka follow the programme in order to improve the nutritional status of the children up to 2 years of age. There may be many barriers for adaptation of effective nutritional habits in rearing the children from 6 months to 36 months of age, in Sri Lanka even though the IYCN project is being implemented covering the children of age up to 2 years.

It is mandatory to introduce a nutrition counseling intervention package for preschool children and investigate the effectiveness of the strategy in a systematic manner. Effective nutrition counseling promotes consuming nutritive foods which are locally available for lower cost. The farmers, fishermen and other local manufacturers will get benefit and the national income of the country will be increased.

The sub theme Interference of mother-in-law in child nutrition needs major attention because it has been affecting child nutrition for long time.

Mother-in-law plays vital role in the care of the family. In the Muslim community, in order to respect the husband's mother, many families follow the advices of mothers-in-law for all family matters. As an experienced woman, her experience may guide to make the family healthier for more instances. But they are sometimes stubborn to accept newer updates on child nutrition. According the participants, the mothers-in-law reject the advices of PHMs and stick on their traditional values and beliefs such as hot food concept.

Sinclair and Fawcett (1991) explained clearly that the interference in nursing interventions cause stress, a precursor of anxiety and depression. The PHMs have been affected psychologically because of the mothers-in-laws block the way to reach clients with problems.

D. Lack of health care personnel

Sometimes, a PHM covers more than a single PHM area in the eastern province. It becomes more difficult to PHMs working in the remote villages need to travel long distances daily. And they are packed with their routine works. They do not have adequate time for proper individual nutrition counseling. Their grievances in this regard are quite reasonable. So, the policy makers should consider providing more personnel and facilities for community health services.

VI. CONCLUSION

Knowing of the clients, as these PHMs describe it, is always situated by time constraints, practical situations, and the nature of the PHM-client-family relationship. The four themes, which emerged in the study, represent four issues in the duty of participants with nutrition counseling in eastern province. There are many aspects where further studies should be conducted in relation to the area of financial crisis. The impact on the family is one area that could be further explored. In addition, to improve the knowledge of the mothers/ care givers, available assistance from government departments and NGOs should be explored so that gaps in this knowledge can be better managed.

The PHMs may come to the work with their personal stressors; they may be irritable and lose their self-control. They may express this stress as lack of interest. Therefore further studies would

be welcome to explore why some PHMs face difficulties in maintaining good relationship with mothers/care givers.

The study was limited to participants from eastern province only. 18 participants were interviewed in 3 focus group discussions, during this study. This was mainly because of the constraints of undertaking the study within the time frame allowed. Although the number of participants was not critical to the study findings, it could be well that other themes may have emerged with a larger group.

The study touched on the physical and psychological aspects of these participants up to a certain extent only. Therefore we would welcome further studies to explore the feelings and experience of these participants in regard to the four major issues. In particular there should be further studies to explore the barriers of nutrition counseling such as traditional beliefs about foods and negative attitudes towards the PHMs, in the community.

ACKNOWLEDGEMENT

Financial assistance given by Higher Education for the Twenty first Century (HETC Grant No: HETC/CMB/QIGW3/MED/TOR-04) of Sri Lanka is acknowledged.

REFERENCES

- Annells M (1996), *Hermeneutic phenomenology: Philosophical perspectives and current use in nursing research*, Journal of Advanced Nursing 23 (4): 705- 713.
- Balls P (2009), *Phenomenology in nursing research: methodology, interviewing and transcribing*. Nursing Times; 105: 31.
- King PA and Thomas SP (2013), *Phenomenological study of ICU nurses' experiences caring for dying participants*, West Journal of Nursing Research. 2013 Nov;35 (10):1292-308.
- FitzGerald M (2001) *Study Guide-Interpretive & Critical Research in Nursing*, the University of Adelaide, Adelaide
- Koch T (1995), *Interpretive approaches in nursing research: The influence of Husserl and*

Heidegger, Journal of Advanced
Nursing 21 (5): 827-836.

Polit, D, and Hungler B (1995), *Nursing research: principles and methods*, Lippincott, Philadelphia.

Roberts K, and Taylor B (1998), *Nursing research processes: an Australian perspective*, Nelson ITP, Melbourne.

Sinclair HC, and Fawcett JN (1991), *Altschul's Psychology for Nurses*, 7th Edition, Bailliere Tindall, London..

Streubert HJ, and Carpenter DR (1999), *Qualitative research in nursing: Advancing the humanistic perspectives*, 2nd edition, Lippincott, Philadelphia

Swaminathan M (1999), *Handbook of food and Nutrition*, Bangalore Printing & Publishing Co. Ltd., Bangalore.

van Manen M (1990), *Researching lived experience: Human science for an action sensitive pedagogy*. State University of New York Press: USA.

Walsh, M., (1997), *Watson's clinical nursing and related sciences*, 5th edition, Churchill Livingstone: London.

BIOGRAPHY OF AUTHORS



Sankarapillai Sujendran is a lecturer in Nursing of Eastern University of Sri Lanka. His research interests include public health nutrition and nursing practice.



Upul Senarath is a senior lecturer in community medicine of University of Colombo, Sri Lanka. His research interests include Nutrition, Infant & Young Child Feeding, Maternal and Child Health, Reproductive Health and Health Systems Research. He has produced more than 32 referred international and local Journal publications to his credit. He has been a founder member of the South Asia Infant Feeding Research Network.



Josepha Joseph is a senior lecturer in Nursing of Eastern University of Sri Lanka. Her research interests include public health nutrition, non communicable diseases and clinical nursing practice. She has produced more than 7 referred international and local Journal publications.